HOHENLOHER


STORAGE

FlexLearn cabinets

The Hohenloher FlexLearn cabinets are simply practical. In size and shape, they are perfectly matched to the teaching materials used. Our ingenious accessories can be added at any time and guarantee you a great deal of pleasure in daily use.

- Robust construction
- High quality materials
- Practical accessories

Name	FlexLearn cabinet 1x1	FlexLearn station 1x2	FlexLearn cabinet 3x1	FlexLearn station 3x2
Description	Carcass accessible from 3 sides with impact protection, 1 compartment	Carcass accessible from 4 sides with impact protection, 2 compartments	Carcass accessible from 3 sides with impact protection, 3 compartments	Carcass accessible from 4 sides with impact protection, 6 compartments
Versions	Carcass colour: white / oak Plinth design: Plastic glides / 4 castors, 2 of which can be locked in position	Carcass colour: white / oak Plinth design: Plastic glides / 4 castors, 2 of which can be locked in position	Carcass colour: white / oak Plinth design: Plastic glides / 4 castors, 2 of which can be locked in position	Carcass colour: white / oak Plinth design: Plastic glides / 4 castors, 2 of which can be locked in position
Options	Interior of column 1: 1 shelf / drawer panel, organi- sational panel (1FH): Left, right Panel colour: ME01	Interior of column 1-2: 1 shelf Organisational panel (1FH): Left, right, front, rear Panel colour: ME01	Interior of column 1: 2 shelves / drawer panel, organisational panel (3FH): Left, right Panel colour: ME01	Interior of column 1-2: 2 shelves Organisational panel (3FH): Left, right, front, rear Panel colour: ME01
Dimensions	W/H/D = 364/432/475 mm	W/H/D = 705/432/475 mm	W/H/D = 364/1130/475 mm	W/H/D = 705/1130/475 mm
Model	H1411	H1419	H1431	H1439





FlexLearn cabinet accessories



Colour lounge



Name	Organisational panel	Shelf	Drawer panel	Deposit box
Description	Powder-coated steel plate, d = 2 mm, magnetic, multi- slot for accessories	Wood effect board d = 19 mm, 2 mm edge on all sides, including shelf clips	Powder-coated steel plate, d = 1.5 mm, 12 drawer runners for FlexLearn box	Powder-coated steel plate, slide-in slanted shelf, with cylinder lock
Versions	Panel colour: ME01 Panel height: 1FH / 3FH / 4FH	Colour: white / oak	Panel colour: ME01 Panel height: 1FH / 3FH / 4FH	Housing colour: ME01
Dimensions	W = 365 mm	W/H/D = 322/19/433 mm	W = 358 mm	W/H/D = 315/320/435 mm
Model	H1480	H1410	H1489	H1491





Colours (KU22)



KU22-20

Yellow



KU22-22

Red



Apple green





Ultramarine







KU22-03 Light grey Anthracite

KU22-19 Translucent



Be inspired. Our shelving systems are perfectly equipped for your collection of books, magazines and media. The RATIO FlexLearn shelving unit impresses with its simple, solid side panels made of melamine resin-coated chipboard and colourful steel shelves. Things are the other way round for the QUADRA FlexLearn shelving unit. The side sections are made of square steel tube and are complemented by shelves made of melamine resin-coated chipboard.

- High load-bearing capacity
- Timeless design
- TÜV-certified quality

RATIO FlexLearn shelving unit

H5 (5x folder height / standard interior: 6 shelves)

Name	RATIO basic shelving unit,	RATIO add-on shelving	RATIO basic shelving unit,	RATIO add-on shelving
	1-sided	unit, 1-sided	2-sided	unit, 2-sided
Description	Side panels made of 25 mm	Side panel made of 25 mm	Side panels made of 25 mm	Side panel made of 25 mm
	coated chipboard, row of			
	holes inside, adjustable feet			
Versions	Side panel colour: HD22			
	Delivery type: dismantled	Delivery type: dismantled	Delivery type: dismantled	Delivery type: dismantled
Dimensions	W/H/D = 900/2056/337 mm	W/H/D = 900/2056/337 mm	W/H/D = 900/2056/640 mm	W/H/D = 900/2056/640 mm
Model	3030	3031	3032	3033

H4 (4x folder height / standard interior: 5 shelves)



Name	RATIO Shelf	RATIO magazine shelf	RATIO suspended book support	RATIO magazine box
Description	Powder-coated steel plate with book rail	Powder-coated steel plate with book rail	Chrome-plated round steel bar with plastic glides	Powder-coated steel plate, slide-in slanted shelf
Versions	Metallic colour: ME22	Metallic colour: ME22		Metallic colour: ME22
Dimensions	W/D = 900/300 mm	W/D = 900/300 mm	H = 220 mm	W/H/D = 320/320/260 mm
Model	3038	3039	3040	1490



Colour lounge



nfo

On request we are pleased to offer you other library equipment, such as counters, special shelving and a variety of accessories.



QUADRA FlexLearn shelving unit

H5 (5x folder height / standard interior: 6 shelves)

Name	QUADRA basic shelving unit, 1-sided	QUADRA add-on shelving unit, 1-sided	QUADRA basic shelving unit, 2-sided	QUADRA add-on shelving unit, 2-sided
Description	Side frame made of 30/30 mm powder-coated steel square tube, row of holes inside, adjustable feet	Side frame made of 30/30 mm powder-coated steel square tube, row of holes inside, adjustable feet	Side frame made of 30/30 mm powder-coated steel square tube, row of holes inside, adjustable feet	Side frame made of 30/30 mm powder-coated steel square tube, row of holes inside, adjustable feet
Versions	Frame colour: ME22 Delivery type: dismantled			
Dimensions	W/H/D = 900/2050/330 mm	W/H/D = 900/2050/330 mm	W/H/D = 900/2050/630 mm	W/H/D = 900/2050/630 mm
Model	3045	3046	3047	3048

H4 (4x folder height / standard interior: 5 shelves)



				100
Name	QUADRA Shelf	QUADRA magazine shelf	QUADRA suspended book support	QUADRA book support
Description	Wood effect board with book rail	Wood effect board with book rail	Chrome-plated round steel bar, can be moved	Bright galvanised round steel bar, can be inserted in the side
Versions	Wood effect colour: HD22	Wood effect colour: HD22		
Dimensions	W/D = 900/300 mm	W/D = 900/300 mm	H = 220 mm	
Model	3053	3054	3055	3056

Colour lounge





On request we are pleased to offer you other library equipment, such as counters, special shelving and a variety of accessories.

Book trolley


Showcase your book collection. Display the things that are important to you! The media in your library are often small. Striking furniture creates the perfect setting and attracts the attention you want. Our book trolleys astonish with their fresh design. At the same time, they serve as a collection point for returned books and can be pushed to the shelves for sorting and putting away – truly fantastic.



Book trolley with raised partition



Ergonomic gripping for people of different height



Colour lounge

Carcass colours (HD22)



Description	Mobile book trolley, set height at top 195 mm, at bottom 490 mm, including grooved rub- ber insert
Versions	Carcass colour: HD22

3025

W/H/D = 720/1100/720 mm





Dimensions

Model

Experiment trolley

The experiments take place here. Prepare the test arrangements on the experiment tableau and place these in the Multi-Mobile. Move the Multi-Mobile out of the garage cabinet directly to the workplaces and distribute the prepared experiments to your students. That saves valuable lesson time and adds structure to the organisation according to topic or class.

- Compact and manoeuvrable
- Multifunctional
- Flexible disposition







Multi-Mobile

Name	Multi-Mobile	Shelf
Description	Trolley fits in garage cabinet, max. 12 shelves can be suspended, hole grid on back wall of the system for mounting accessories, 4 castors, 2 of which can be locked in position Frame colour: Anthracite Rear wall- and shelf colour: Light grey RAL 7035	Shelf can be suspended in Multi-Mobile, nominal load max. 10 kg Colour: Light grey RAL 7035
Versions		Depth: 220 / 450 mm
Options	Large shelf: 1 - 12 Small shelf: 1 - 12	
Dimensions	W/H/D = 570/1120/490 mm	W/H = 555/75 mm
Model	6771	6780

Garage cabinet

Combine it with our matching garage cabinets. The Multi-Mobiles can easily be rolled in for the next use and locked up securely.

Experiment tableau

Use our custom-made experiment tableaux (Mod. 6870). These fit perfectly in the large shelves.



Device and cord trolley





Device and cord trolley				
Description	Trolley for storing experiment accessories			
Versions	Frame colour: Light grey			
Dimensions	W/H/D = 860/1122/440 mm			
Model	7027			




Mobile base cabinets

U1 (for table height of 750 mm)





Colour lounge



Details



Change pull-out catch



Locking



Castors

U2 (for table height of 900 mm)



Name	Mobile cabinet U2	Mobile cabinet U2	Mobile cabinet U2
Description	4 drawers (H = 3x150, 1x 200 mm, change pull-out catch), 4 castors, 2 of which can be locked in position	1 drawer (H = 150 mm) 1 wing door, 4 castors, 2 of which can be locked in position	1 drawer (H = 150 mm) 2 wing doors, 4 castors, 2 of which can be locked in position
Versions	Front colour: white / oak	Front colour: white / oak Front design: left / right	Front colour: white / oak
Options	Locking: central 01, 02, 03 (identical), 11 (individual)	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1 shelf / 1 pull-out shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1 shelf / 1 pull-out shelf
Dimensions	H = 790 mm	H = 790 mm	H = 790 mm
Model various widths	H51694 W/D = 450/550 mm	H51693 W/D = 450/550 mm	H53693 W/D = 900/550 mm
	H52694 W/D = 600/550 mm	H52693 W/D = 600/550 mm	H54693 W/D = 1200/550 mm
	H53694 W/D = 900/550 mm		
	H54694 W/D = 1200/550 mm		



Perfect fit for C-shape

Suspended base cabinets

U1 (for table height of 750 mm)

Name	Suspended cabinet U1	Suspended cabinet U1	Suspended cabinet U1	Suspended cabinet U1
Description	1 wing door	2 wing doors	1 drawer (H = 350 mm)	2 drawers (H = 150, 200 mm, change pull-out catch)
Versions	Front colour: white / oak Front design: left / right	Front colour: white / oak	Front colour: white / oak	Front colour: white / oak
Options	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–2 shelf / 1–2 pull-out shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–2 shelf / 1–2 pull-out shelf	Locking: single 01, 02, 03 (identical), 11 (individual)	Locking: single 01, 02, 03 (identical), 11 (individual), central 01, 02, 03 (identical), 11 (individual)
Dimensions	H = 380 mm	H = 380 mm	H = 380 mm	H = 380 mm
Model	H51901 W/D = 450/550 mm	H53901 W/D = 845/550 mm	H51963 W/D = 450/550 mm	H51962 W/D = 450/550 mm
	H52901 W/D = 545/550 mm	H53901 W/D = 900/550 mm	H52963 W/D = 600/550 mm	H52962 W/D = 600/550 mm
	H52901 W/D = 600/550 mm	H54901 W/D = 1200/550 mm	H53963 W/D = 900/550 mm	H53962 W/D = 900/550 mm
			H54963 W/D = 1200/550 mm	H54962 W/D = 1200/550 mm



U2 (for table height of 900 mm)

Name	Suspended cabinet U2	Suspended cabinet U2	Suspended cabinet U2	Suspended cabinet U2
Description	1 wing door	2 wing doors	2 drawers (H = 150, 350 mm, change pull-out catch)	3 drawers (H = 2x 150, 1x 200 mm, change pull-out catch)
Versions	Front colour: white / oak Front design: left / right	Front colour: white / oak	Front colour: white / oak	Front colour: white / oak
Options	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–2 shelf / 1–2 pull-out shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–2 shelf / 1–2 pull-out shelf	Locking: single 01, 02, 03 (identical), 11 (individual), central 01, 02, 03 (identical), 11 (individual)	Locking: single 01, 02, 03 (identical), 11 (individual), central 01, 02, 03 (identical), 11 (individual)
Dimensions	H = 530 mm	H = 530 mm	H = 530 mm	H = 530 mm
Model	H51802 W/D = 450/550 mm	H53802 W/D = 845/550 mm	H51863 W/D = 450/550 mm	H51862 W/D = 450/550 mm
	H52802 W/D = 545/550 mm	H53802 W/D = 900/550 mm	H52863 W/D = 600/550 mm	H52862 W/D = 600/550 mm
	H52802 W/D = 600/550 mm	H54802 W/D = 1200/550 mm	H53863 W/D = 900/550 mm	H53862 W/D = 900/550 mm
			H54863 W/D = 1200/550 mm	H54862 W/D = 1200/550 mm


U2 (for table height of 900 mm)

Name	Suspended cabinet U2	Suspended cabinet U2
Description	1 drawer (H = 150 mm) 1 wing door	1 drawer (H = 150 mm) 2 wing doors
Versions	Front colour: white / oak Front design: left / right	Front colour: white / oak
Options	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–2 shelf / 1–2 pull-out shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–2 shelf / 1–2 pull-out shelf
Dimensions	H = 530 mm	H = 530 mm
Model	H51853 W/D = 450/550 mm	H53853 W/D = 900/550 mm
	H52853 W/D = 600/550 mm	H54853 W/D = 1200/550 mm



Base cabinets

U1 (for table height of 750 mm)



Name	Cabinet U1	Cabinet U1	Cabinet U1	Cabinet U1
Description	2 drawers (H = 200, 400 mm, change pull-out catch)	2 drawers (H = 200, 400 mm, change pull-out catch)	3 drawers (H = 3x 200 mm, change pull-out catch)	3 drawers (H = 3x 200 mm, change pull-out catch)
Versions	Front colour: white / oak			
Options	Locking: single 01, 02, 03 (identical), 11 (individual), central 01, 02, 03 (identical), 11 (individual)	Locking: single 01, 02, 03 (identical), 11 (individual), central 01, 02, 03 (identical), 11 (individual)	Locking: single 01, 02, 03 (identical), 11 (individual), central 01, 02, 03 (identical), 11 (individual)	Locking: single 01, 02, 03 (identical), 11 (individual), central 01, 02, 03 (identical), 11 (individual)
Dimensions	H = 720 mm			
Model	H51762 W/D = 450/550 mm	H53762 W/D = 900/550 mm	H51763 W/D = 450/550 mm	H53763 W/D = 900/550 mm
	H52762 W/D = 600/550 mm	H54762 W/D = 1200/550 mm	H52763 W/D = 600/550 mm	H54763 W/D = 1200/550 mm



Colour lounge




Name	Cabinet U1	Cabinet U1	Cabinet U1	Cabinet U1
Description	4 drawers (H = 4x 150 mm, change pull-out catch)	4 drawers (H = 4x 150 mm, change pull-out catch)	1 drawer (H = 150 mm) 1 wing door	1 drawer (H = 150 mm) 2 wing doors
Versions	Front colour: white / oak	Front colour: white / oak	Front colour: white / oak Front design: left / right	Front colour: white / oak
Options	Locking: single 01, 02, 03 (identical), 11 (individual), central 01, 02, 03 (identical), 11 (individual)	Locking: single 01, 02, 03 (identical), 11 (individual), central 01, 02, 03 (identical), 11 (individual)	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1 shelf / 1 pull-out shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1 shelf / 1 pull-out shelf
Dimensions	H = 720 mm	H = 720 mm	H = 720 mm	H = 720 mm
Model	H51764 W/D = 450/550 mm	H53764 W/D = 900/550 mm	H51753 W/D = 450/550 mm	H53753 W/D = 900/550 mm
	H52764 W/D = 600/550 mm	H54764 W/D = 1200/550 mm	H52753 W/D = 600/550 mm	H54753 W/D = 1200/550 mm


⟨S + 49 (0) 7522 / 986-504 ⟨D www.hohenloher.com
 ⟨D ww

Base cabinets

U2 (for table height of 900 mm)



Name	Cabinet U2	Cabinet U2	Cabinet U2	Cabinet U2
Description	3 drawers (H = 150, 200, 400 mm, change pull-out catch)	3 drawers (H = 150, 200, 400 mm, change pull-out catch)	4 drawers (H = 1x150, 3x200 mm, change pull-out catch)	4 drawers (H = 1x150, 3x200 mm, change pull-out catch)
Versions	Front colour: white / oak			
Options	Locking: single 01, 02, 03 (identical), 11 (individual), central 01, 02, 03 (identical), 11 (individual)	Locking: single 01, 02, 03 (identical), 11 (individual), central 01, 02, 03 (identical), 11 (individual)	Locking: single 01, 02, 03 (identical), 11 (individual), central 01, 02, 03 (identical), 11 (individual)	Locking: single 01, 02, 03 (identical), 11 (individual), central 01, 02, 03 (identical), 11 (individual)
Dimensions	H = 870 mm			
Model	H51562 W/D = 450/550 mm	H53562 W/D = 900/550 mm	H51563 W/D = 450/550 mm	H53563 W/D = 900/550 mm
	H52562 W/D = 600/550 mm	H54562 W/D = 1200/550 mm	H52563 W/D = 600/550 mm	H54563 W/D = 1200/550 mm



Colour lounge



Name	Cabinet U2	Cabinet U2	Cabinet U2	Cabinet U2
Description	5 drawers (H = 5x 150 mm, change pull-out catch)	5 drawers (H = 5x 150 mm, change pull-out catch)	1 drawer (H = 150 mm) 1 wing door	1 drawer (H = 150 mm) 2 wing doors
Versions	Front colour: white / oak	Front colour: white / oak	Front colour: white / oak Front design: left / right	Front colour: white / oak
Options	Locking: single 01, 02, 03 (identical), 11 (individual), central 01, 02, 03 (identical), 11 (individual)	Locking: single 01, 02, 03 (identical), 11 (individual), central 01, 02, 03 (identical), 11 (individual)	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1 shelf / 1 pull-out shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1 shelf / 1 pull-out shelf
Dimensions	H = 870 mm	H = 870 mm	H = 870 mm	H = 870 mm
Model	H51564 W/D = 450/550 mm	H53564 W/D = 900/550 mm	H51553 W/D = 450/550 mm	H53553 W/D = 900/550 mm
	H52564 W/D = 600/550 mm	H54564 W/D = 1200/550 mm	H52553 W/D = 600/550 mm	H54553 W/D = 1200/550 mm

⟨S + 49 (0) 7522 / 986-504 ⟨D www.hohenloher.com
 ⟨D ww

Special base cabinets

Waste base cabinets

U1 (for table height of 750 mm)



U2 (for table height of 900 mm)

Installation base cabinets

U2 (for table height of 900 mm)

Name	Installation cabinet U2	Installation cabinet U2
Description	1 wing door, 2 panels	1 drawer (H = 150 mm) 1 wing door
Versions	Front colour: white Locking: single 01	Front colour: white Locking: single 01
Dimensions	W/H/D = 600/870/550 mm	W/H/D = 600/870/550 mm
Model	82S00317 door left	82S00067 door right
	82S00042 door right	

Colour lounge

Front colours (HD01)

Sink base cabinets

U2 (for table height of 900 mm)





Gas cylinder base cabinets

U2 (for table height of 900 mm)





Cabinets


Colour lounge

Front colours (HD01)



Cabinets

H5 (5x folder height - standard interior: 4 shelves)



Cabinets with partition panel

H5 (5x folder height - standard interior: 4 shelves)

Name	Cabinet H5	Cabinet H5	Cabinet H5	Cabinet H5
Description	Open cupboard shelves, with partition panel	2 wing doors, with partition panel	2 partially glazed wing doors, with partition panel	2 fully glazed wing doors, with partition panel
Versions	Cabinet type: dismantled / assembled	Cabinet type: dismantled / assembled Front colour: white / oak	Cabinet type: dismantled / assembled Front colour: white / oak	Cabinet type: dismantled / assembled Front colour: white / oak
Options	Interior: 1–5 shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–5 shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–5 shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–5 shelf
Dimensions	H = 2090 mm	H = 2090 mm	H = 2090 mm	H = 2090 mm
Model	H54105 W/D = 1200/530 mm	H54133 W/D = 1200/550 mm	H54138 W/D = 1200/550 mm	H54141 W/D = 1200/550 mm
	H44105 W/D = 1200/330 mm	H44133 W/D = 1200/350 mm	H44138 W/D = 1200/350 mm	H44141 W/D = 1200/350 mm

H5 (5x folder height - standard interior: 4 shelves)



H3 (3x folder height - standard interior: 2 shelves)


(5x forder freight standard metro). 2 sherves)				
Name	Cabinet H3	Cabinet H3	Cabinet H3	Cabinet H3
Description	Open cupboard shelves	Open cupboard shelves	1 wing door	2 wing doors
Versions	Cabinet type: assembled	Cabinet type: dismantled / assembled	Cabinet type: assembled Front colour: white / oak Front design: left / right	Cabinet type: dismantled / assembled Front colour: white / oak
Options	Interior: 1–3 shelf / 1-3 pull-out shelf (only with D = 550 mm)	Interior: 1–3 shelf / 1-3 pull-out shelf (only with D = 550 mm)	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–3 shelf / 1-3 pull-out shelf (only with D = 550 mm)	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–3 shelf / 1-3 pull-out shelf (only with D = 550 mm)
Dimensions	H = 1220 mm	H = 1220 mm	H = 1220 mm	H = 1220 mm
Model	H51403 W/D = 450/530 mm	H53403 W/D = 900/530 mm	H51402 W/D = 450/550 mm	H53402 W/D = 900/550 mm
	H41403 W/D = 450/330 mm	H43403 W/D = 900/330 mm	H41402 W/D = 450/350 mm	H43402 W/D = 900/350 mm
	H52403 W/D = 600/530 mm	H54403 W/D = 1200/530 mm	H52402 W/D = 600/550 mm	H54402 W/D = 1200/550 mm
	H42403 W/D = 600/330 mm	H44404 W/D = 1200/330 mm	H42402 W/D = 600/350 mm	H44402 W/D = 1200/350 mm

HOHILOHER


Drawer cabinets

Drawer cabinets

H5 (3x folder height - standard interior: 2 shelves)




H5 (3x folder height - standard interior: 2 shelves)




Drawer cabinets with suspension file rack

H5 (3x folder height - standard interior: 2 shelves)



H5 (3x folder height - standard interior: 2 shelves)



Colour lounge

Front colours (HD01)



Please order suspension file rack insert separately: Mod. H51233

HOENLOER

⟨ +49 (0) 7522 / 986 - 504 ⟨ www.hohenloher.com

Corner cabinets

Folding door and sliding door cabinets

Corner cabinets

H5 Fixed panel on left (5x folder height - standard interior: 4 shelves)



Folding door cabinets

H5 (5x folder height - standard interior: 4 shelves)

Name	Folding door cabinet H5	Folding door cabinet H5	Folding door cabinet H5
Description	1 folding door	2 folding doors	2 folding doors
Versions	Cabinet type: assembled, front colour: white / oak Front design: left / right	Cabinet type: dismantled / assembled Front colour: white / oak	Cabinet type: dismantled / assembled Front colour: white / oak
Options	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–5 shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–5 shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–5 shelf
Dimensions	H = 2090 mm	H = 2090 mm	H = 2090 mm
Model	H55121 W/D = 600/550 mm	H55122 W/D = 900/550 mm	H55123 W/D = 1200/550 mm
	H45121 W/D = 600/350 mm	H45122 W/D = 900/350 mm	H45123 W/D = 1200/350 mm

Colour lounge

Front colours (HD01)



H5 Fixed panel on right (5x folder height - standard interior: 4 shelves)



Sliding door cabinets

H5 (5x folder height - standard interior: 4 shelves)

(3x lolder Height -	standard interior: 4 shelves)		
Name	Sliding door cabinet H5	Sliding door cabinet H5	Sliding door cabinet H5
Description	2 sliding doors, with partition panel	2 partially glazed sliding doors, with partition panel	2 fully glazed sliding doors, with partition panel
Versions	Cabinet type: dismantled Front colour: white / oak	Cabinet type: dismantled Front colour: white / oak	Cabinet type: dismantled Front colour: white / oak
Options	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–5 shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–5 shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–5 shelf
Dimensions	H = 2090 mm	H = 2090 mm	H = 2090 mm
Model	H55147 W/D = 1800/550 mm	H55148 W/D = 1800/550 mm	H55149 W/D = 1800/550 mm
	H55144 W/D = 2400/550 mm	H55145 W/D = 2400/550 mm	H55146 W/D = 2400/550 mm


Wardrobe and locker cabinets



Wardrobes


H5 (standard interior: wardrobe rail)





Pigeon hole and locker cabinets

H5 (1x folder height at bottom - standard interior: 1 shelf)





Garage cabinets

This makes experiments a whole lot of fun. Configure the FlexLearn cabinets with experiments, utensils or accessories and move them into the garage cabinets at floor level. The top 3 compartments are optionally available with shelves or pull-out panels and are therefore particularly variable.

- Perfect organisation
- Variable configuration
- Simply practical



FlexLearn cabinet 3x1


Combine them with our matching FlexLearn cabinets 3x1 (Mod. H1431). These can easily be rolled in and locked up securely. The side panels are available in 11 different colours - consequently you can organise a separate caddy for each topic or subject.

FlexLearn boxes

Fill the garage cabinet and the FlexLearn cabinets with our FlexLearn boxes. These are available in 4 different heights and 7 fresh colours.

Garage cabinets for FlexLearn box & FlexLearn cabinet 3x1

H5 (standard interior: 3x 2 shelves)








Garage cabinets

Garage Cabinets for Tableaux & Multi-Mobile

H5 (standard interior: 2 shelves)



H5 (standard interior: 2x 2 shelves)








Collection cabinets

Everything fits in here. Our collection cabinets can be infinitely stringed together and ensure for a lot of transparency, thanks to the use of large format safety glass. The open partition walls provide the possibility of cabinet overlapping use, the open rear wall on the free-standing

cabinets enables the storage of particularly large exhibits.

- Perfect organisation
- + High transparency
- Lots of storage space

Wall-standing collection cabinets



Name	Base unit, 1-sided	Add-on unit, 1-sided	End unit, 1-sided	End unit, 1-sided
Description	2 fully glazed wing doors, side panel closed on left, open on right	2 fully glazed wing doors, side panel open left + right	1 fully glazed wing door, side panel open on left, closed on right	2 fully glazed wing doors, side panel open on left, closed on right
Versions	Cabinet type: dismantled / assembled Front colour: white / oak	Cabinet type: dismantled / assembled Front colour: white / oak	Cabinet type: assembled Front colour: white / oak Front design: left / right	Cabinet type: dismantled / assembled Front colour: white / oak
Options	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–5 shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–5 shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–5 shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1–5 shelf
Dimensions	W/H/D = 1200/2090/550 mm	W/H/D = 1200/2090/550 mm	W/H/D = 600/2090/550 mm	W/H/D = 1200/2090/550 mm
Model	H56111	H56112	H56113	H56114

Free-standing collection cabinets

H5 (5x folder height - standard interior: 4 shelves per side)







Colour lounge

Front colours (HD01)



Special cabinets

Kitchenette cabinet







On request we are pleased to offer you various types of kitchenette cabinets.

First aid cabinet

H5 (5x folder height - standard interior: 2 shelves)





Colour lounge



Small parts

Accessories

Name	Bucket	Extinguishing sand	Shovel
Description Dimensions	Bucket 10 litres made from galvanised steel plate, powder-coated red RAL 3000	Extinguishing sand 10 kg, grain size 0-2 mm	Shovel made from steel plate, painted black, with wooden handle and hanger ring W/H = 110/400 mm
Model	163044	704639	163046

First Aid

Name	Erste Hilfe	First aid case	LOSCHDECKE LOSCHDECKE LOSCHDECKE Fire blanket container	Powder extinguisher
Description Dimensions	First aid cabinet made from plastic, white, 1 lockable door, 2 adjustable shelves, spacious door compartments, with filling, contents acc. DIN 13157 W/H/D = 315/430/150 mm	First aid case, contents acc. DIN 13157, durability 20 years, incl. wall mount W/H/D = 310/210/130 mm	Fire blanket container made from steel plate plastic-coat- ed red, turn lock, with filling (1 fire blanket acc. DIN 1869, 1 pair of heat-protection gloves KSA)	Powder extinguisher, 6 kg, for fire classes ABC acc. DIN EN3, CE
Model	9056	9055	9749	9750

Cabinets for refrigeration and heating technology

Cabinet for heating technology

H5 (standard interior: 2 shelves)



Cabinet for heating technology H5

Description	2 wing doors above + below, middle compart- ment without rear wall, inside dimensions W/H/D = 862/880/563 mm, suitable for incubators / stand-alone units
Versions	Cabinet type: dismantled

Options

Front colour: white / oak Locking: single 01, 02, 03 (identical), 11 (individual) Interior at bottom: 1-2 shelf/

W/H/D = 900/2090/600 mm

Dimensions

Model

H52105

1–2 pull-out shelf



Incubator and heating cabinet

Description

Incubator and heating cabinet, brand Memmert UN30, stainless steel door, temperature range at least 5 °C above room temperature to +300 °C, capacity 32 litres, inside dimensions W/H/D = 400/320/250 mm, Connected load: 230 V, approx. 1600 W

Model

Dimensions


H9755 168907 Wall bracket

W/H/D = 585/704/434 mm

Special features

- Precise drying, heating, tempering, ageing, stove enamelling, testing and curing with sophisticated technical equipment
- Comfortable operation with digital PID-microprocessor controller with high resolution TFT colour graphic display
- Easy to clean due to high quality and hygienic stainless steel
- > Versatile use due to flexible ventilation technology, control technology, overtemperature protection and precisely coordinated heating technology

Cabinets for refrigeration technology



When using top-mounted cabinets, use only 550 mm deep models with exhaust air duct. This ensures sufficient rear ventilation.

Colour lounge

Front colours (HD01)



Refrigerators


			-
Name	Refrigerator	Refrigerator with freezer compartment	Freezer cabinet
Description	Refrigerator, brand Liebherr, can be integrated in the cabinet models H52104 and H52115	Refrigerator with freezer compartment, brand Liebherr, can be integrated in the cabinet models H52104 and H52115	Freezer cabinet, brand Lieb- herr, can be integrated in the cabinet models H52104 and H52115
	CFC-free; usable volume 151 litres; annual energy consumption 98 kWh; Energy Efficiency Class A++, Connected load: 220/230 V, 110 W	CFC-free; usable volume refrigeration compartment 118 litres; usable volume 4-star freezer compartment (-18 degrees C) 16 litres; annual energy consumption 151 kWh; energy efficiency class A++, Connected load: 220/230 V, 110 W	CFC-free; 4 drawers; usable volume 100 litres; annual energy consumption 159 kWh; energy efficiency class A++, Connected load: 220/230 V, 110 W
Dimensions	W/H/D = 560/880/550 mm	W/H/D = 560/880/550 mm	W/H/D = 560/880/550 mm
Model	909765	909763	909767
	909766 Explosion-protected	909764 Explosion-protected	909768 Explosion-protected



Cabinets for chemicals

Cabinets for chemicals

H5




Colour lounge



Pull-out cabinets

Н5


Name	Pull-out cabinet H5	Pull-out cabinet H5
Description	2 pull-out units, 5 height-adjust- able hanging baskets with poly- ethylene catch tray per pull-out unit, hanging basket made from coated steel wire, loadbearing capacity per pull-out unit 120 kg, loadbearing capacity per hanging basket 10 kg	3 pull-out units, 5 height-adjust- able hanging baskets with poly- ethylene catch tray per pull-out unit, hanging basket made from coated steel wire, loadbearing capacity per pull-out unit 120 kg, loadbearing capacity per hanging basket 10 kg
Exhaust air	Air vent: Ø 90 mm Planning recommendation: 30 m³/h	Air vent: Ø 90 mm Planning recommendation: 30 m³/h
Versions	Cabinet type: assembled Front colour: white / oak	Cabinet type: assembled Front colour: white / oak
Options	Locking: single 01, 02, 03 (identical), 11 (individual) Air vents for extraction	Locking: single 01, 02, 03 (identical), 11 (individual) Air vents for extraction
Dimensions	W/H/D = 600/2090/550 mm	W/H/D = 900/2090/550 mm
Model	H52226	H53226



Acid and alkali cabinet

H5 (standard interior: 4 pull-out shelves incl. PP tray)






All-in-one cabinet for hazardous substances

H5 (standard interior: 4 pull-out shelves incl. PP tray)

H5509

Model





HOENLOHR & +49 (0) 7522/986-504 & www.hohenloher.com

All-in-one cabinets for hazardous materials



Top-mounted cabinets

Due to the product safety, topmounted cabinets are only possible with hazardous materials cabinets from the company Asecos.



1 wing door with lock, incl.

3 tray shelves and 1 bottom

tray with perforated sheet

insert, incl. connection

Air vent: Ø 75 mm

30 m³/h

Asecos

branches for supply and

exhaust air, weight: 286 kg

Planning recommendation:

Manufacturer: Düperthal /

Colour: white (RAL 9010)

Height compensation panel,

Front design: left / right

interior also includes:

W/H/D = approx.

600/2000/600 mm

1 tray shelf (only Asecos)







2 wing doors with lock, incl. 3 tray shelves and 1 bottom tray with perforated sheet insert, incl. connection branches for supply and exhaust air, weight: 358 kg (Düperthal) / 260 kg (Asecos) (Düperthal) / 310 kg (Asecos)

Air vent: Ø 75 mm Planning recommendation: 30 m³/h

Manufacturer: Düperthal / Colour: white (RAL 9010)

Height compensation panel, interior also includes: 1 tray shelf (only Asecos) W/H/D = approx.900/2000/600 mm



2 wing doors with lock, incl. 3 tray shelves and 1 bottom tray with perforated sheet insert, incl. connection branches for supply and exhaust air, weight: 469 kg (Düperthal) / 420 kg (Asecos)

Air vent: Ø 75 mm Planning recommendation:

Manufacturer: Düperthal / Colour: white (RAL 9010)

Height compensation panel, interior also includes: 1 tray shelf (only Asecos) W/H/D = approx.1200/2000/600 mm



Tray shelf (Asecos)



Description

Exhaust air

Versions

Options

Dimensions

Cabinets for pressurised gas cylinders






Info

Top-mounted cabinets

Due to the product safety, topmounted cabinets are only possible with pressurised gas cylinder cabinets from the company Asecos.





Intermediate shelf



Cylinder rack and clamping fixture



Gas cylinder trolley

,	,	
Name	Gas cylinder trolley	Gas cylinder trolley
Description	For 1x10 Litre cylinder, loadbearing capacity 100 kg	For 2x10 Litre cylinders, loadbearing capacity 50 kg
Dimensions	W/H/D = 280/1000/320 mm	W/H/D = 360/1000/320 mm
Model	H9023	H9024


Info


Our gas cylinder trolleys can be pushed directly into the cabinet and stored there fitting perfectly.

Top-mounted cabinets

Top-mounted cabinets for tall cabinets

H1 (1x folder height - standard interior: 1 shelf)





Optional ladder rail

H2 (2x folder height - standard interior: 1 shelf)




Colour lounge




Because of the design principle, the top-mounted cabinets cannot be used as wall-mounted cabinets.

Top-mounted cabinets for corner cabinets •

H1 (1x folder height - standard interior: 1 shelf)





113 (2... full-lands at all a service and the service of a land)

Name	Top-mounted cabinet H2	Top-mounted cabinet H2	
Description	1 fixed panel on left, 1 wing door on right	1 fixed panel on right, 1 wing door on left	
Versions	Type: with / without ladder rail, with / without waste air leadthrough (only with D = 550 mm) Front colour: white / oak	Type: with / without ladder rail, with / without waste air leadthrough (only with D = 550 mm) Front colour: white / oak	
Options	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1 shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1 shelf	
Dimensions	H = 760 mm	H = 760 mm	
Model	H44716 W/D = 1200/550 mm	H44717 W/D = 1200/550 mm	
	H54716 W/D = 1200/350 mm	H54717 W/D = 1200/350 mm	

Available to order soon

Wall-mounted cabinets



H1 (1x folder height - standard interior: 1 shelf)

Name	Wall-mounted cabinet H1	Wall-mounted cabinet H1	Wall-mounted cabinet H1	Wall-mounted cabinet H1
Description	Open cupboard shelves	Open cupboard shelves, with partition panel	1 wing door	2 wing doors, with partition panel
Versions	Type: wall mounting / cell mounting	Type: wall mounting / cell mounting	Type: wall mounting / cell mounting Front colour: white / oak Front design: left / right	Type: wall mounting / cell mounting Front colour: white / oak
Options	Interior: 1 shelf	Interior per side: 1 shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1 shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior per side: 1 shelf
Dimensions	H = 460 mm	H = 460 mm	H = 460 mm	H = 460 mm
Model	H41673 W/D = 450/330 mm	H43673 W/D = 900/330 mm	H41672 W/D = 450/350 mm	H43672 W/D = 900/350 mm
	H42673 W/D = 600/330 mm	H44673 W/D = 1200/330 mm	H42672 W/D = 600/350 mm	H44672 W/D = 1200/350 mm


			B
Name	Wall-mounted cabinet H1	Wall-mounted cabinet H1	Wall-mounted cabinet H1
Description	1 fully glazed wing door	2 fully glazed wing doors, with partition panel	2 fully glazed sliding doors, with partition panel
Versions	Type: wall mounting / cell mounting Front colour: white / oak Front design: left / right	Type: wall mounting / cell mounting Front colour: white / oak	Type: wall mounting / cell mounting Front colour: white / oak
Options	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1 shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior per side: 1 shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior per side: 1 shelf
Dimensions	H = 460 mm	H = 460 mm	H = 460 mm
Model	H41670 W/D = 450/350 mm	H43670 W/D = 900/350 mm	H43675 W/D = 900/350 mm
	H42670 W/D = 600/350 mm	H44670 W/D = 1200/350 mm	H44675 W/D = 1200/350 mm

Colour lounge



H2 (2x folder height - standard interior: 1 shelf)

nz (2x loidel fleight -	standard interior: 1 shelf)			
Name	Wall-mounted cabinet H2	Wall-mounted cabinet H2	Wall-mounted cabinet H2	Wall-mounted cabinet H2
Description	Open cupboard shelves	Open cupboard shelves, with partition panel	1 wing door	2 wing doors, with partition panel
Versions	Type: wall mounting / cell mounting	Type: wall mounting / cell mounting	Type: wall mounting / cell mounting Front colour: white / oak Front design: left / right	Type: wall mounting / cell mounting Front colour: white / oak
Options	Interior: 1 shelf	Interior per side: 1 shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior: 1 shelf	Locking: single 01, 02, 03 (identical), 11 (individual) Interior per side: 1 shelf
Dimensions	H = 760 mm	H = 760 mm	H = 760 mm	H = 760 mm
Model	H41473 W/D = 450/350 mm	H43473 W/D = 900/350 mm	H41472 W/D = 450/350 mm	H43472 W/D = 900/350 mm
	H42473 W/D = 600/350 mm	H44473 W/D = 1200/350 mm	H42472 W/D = 600/350 mm	H44472 W/D = 1200/350 mm



Range of panels

Front panels



Colour lounge



Side panels



Splash protection panels



Special panels



Shelves

For various cabinet types (without installation, supplied loose, load-bearing capacity 30 kg)



Name	FB Tall cabinet	FB Top-mounted cabinet	FB Collection cabinet	FB for toxic substances compartment
Description	19 mm shelf, incl. 4 shelf clips, with aluminium reinforcement rail over a width of 845 mm	19 mm shelf, incl. 4 shelf clips, with aluminium reinforcement rail over a width of 845 mm	19 mm shelf, incl. 4 shelf clips, with aluminium reinforcement rail over a width of 845 mm	19 mm shelf, incl. 4 shelf clips
Versions	Type: tall cabinet / tall cabinet with partition panel / ward-robe / sliding door cabinet / acid and alkali cabinet (incl. PP tray) / garage cabinet Width: depends on type Depth: depends on type	Type: top-mounted cabinet with / without ladder rail, with / without exhaust air Width: 450 / 600 / 900 / 1200 mm	Type: collection cabinet Width: 600 /1200 mm Depth: 550 / 1100 mm	Type: cabinet for chemicals with compartment for toxic substances Width: 600 mm Depth: 550 mm
Model	H15114	Depth: 350 / 550 mm H15115	H15117	H15118





Shelf with reinforcement rail made from anodised aluminium (from width 845 mm)

Pull-out shelves

For various cabinet types (with installation, installation position required, load-bearing capacity 30 kg)


Name	Pull-out shelf for base cabinet	Pull-out shelf for mobile base cabinet	Pull-out shelf for suspended base cabinet	Pull-out shelf for tall cabinet
Description	19 mm shelf, from width 845 mm with aluminium reinforcement rail	19 mm shelf, from width 845 mm with aluminium reinforcement rail	19 mm shelf, from width 845 mm with aluminium reinforcement rail	19 mm shelf, from width 845 mm with aluminium reinforcement rail
Versions	Type: base cabinet Width: 450 / 600 / 900 / 1200 mm Depth: 550 / 650 mm	Type: mobile base cabinet Width: 450 / 545 / 600 / 845 / 900 / 1145 / 1200 mm Depth: 550 mm	Type: suspended base cabinet Width: 450 / 545 / 600 / 845 / 900 / 1145 / 1200 mm Depth: 550 mm	Type: tall cabinet / tall cabinet with partition panel / wardrobe / sliding door cabinet / acid and alkali cabinet (incl. PP tray) / garage cabinet Width: depends on type Depth: depends on type
Model	H15102	H15103	H15104	H15106




Pull-out shelf with PP tray

Interior drawers •

For various cabinet types (with installation, installation position required, load-bearing capacity 30 kg)







Stepped inserts + glass tops







Drawer insert trays

For drawer widths 450-600 mm



For drawer widths 845-900 mm

	HIIII			
Name	Insert tray for 845 mm	Insert tray for 900 mm	In a suit true of the OOO mans	
	misert day for 045 min	insert tray for 900 min	Insert tray for 900 mm	Insert tray for 900 mm
Description	Flexible division, plastic PP, colour white, surface grained, aluminium profile rail	Flexible division, plastic PP, colour white, surface grained, aluminium profile rail	Flexible division, plastic PP, colour white, surface grained, aluminium profile rail	Flexible division, plastic PP, colour white, surface grained, aluminium profile rail
Description Dimensions	Flexible division, plastic PP, colour white, surface grained,	Flexible division, plastic PP, colour white, surface grained,	Flexible division, plastic PP, colour white, surface grained,	Flexible division, plastic PP, colour white, surface grained,


For drawer widths 1145-1200 mm

		HIIIII	MITTI	HIIII
Name	Insert tray for 1145 mm	Insert tray for 1145 mm	Insert tray for 1200 mm	Insert tray for 1200 mm
Description	Flexible division, plastic PP, colour white, surface grained, aluminium profile rail	Flexible division, plastic PP, colour white, surface grained, aluminium profile rail	Flexible division, plastic PP, colour white, surface grained, aluminium profile rail	Flexible division, plastic PP, colour white, surface grained, aluminium profile rail
Dimensions	W/H/D = 1045/48/480 mm	W/H/D = 1045/48/480 mm	W/H/D = 1100/48/480 mm	W/H/D = 1100/48/480 mm
Model	H51208	H51209	H51210	H51211

Drawer inserts **D**



Waste bin



Safes

		. 0	
Name	Wall safe	Cabinet for toxic substances made from steel plate	Furniture safe
Description	Wall safe for storing protected radioactive preparations	Cabinet for toxic substances made from steel plate, stove-enamelled light grey, separate lockable poison compartment, 1 adjustable sheet metal shelf	Furniture insert safe, security level B acc. VDMA 24992, colour light grey RAL 7035, with 2 holes in the rear wall, double-bit lock
Dimensions	W/H/D = 310/350/150 mm	W/H/D = 455/555/175 mm	W/H/D = 355/425/395 mm
Model	9751	9050	9990

Wardrobes

Name	Wardrobe rail
Description	Wall-mounted wardrobe rail, powder-coated steel tube incl. wall spacer, 3x steel hooks sintered black, hook spacing 200 mm
Versions	Width: 1/2/3/4/5 m
Options	Termination left: curve / hemisphere Termination right: curve / hemisphere
Model	8300 silver
	8301 coated in ME01



Can be ordered on request



Underfit lamps **O**







Ladders & Steps



		AA	
Name	Light metal ladder Alu	Hinged step Alu	Plastic rolling step
Description	Light metal step ladder made from polished aluminium, non-slip treads, 3 steps and 1 hinged step	Hinged step made from polished aluminium, 2 steps on each side	Rolling step made from grey plastic, top diameter 283 mm, bottom diameter 433 mm
Dimensions		H = 460 mm	H = 410 mm
Model	9730	9731	9732

Mounts

Name	Wall bracket for measure- ment lines	Wall bracket for support rods
Description	Wall bracket for measurement lines, colour: light grey	Wall bracket for 16 support rods, consisting of holding rail above and below
Dimensions	W = 500 mm	W/H/D = 500/50/42 mm
Model	5107	5105

Product range

School equipment

Scientific equipment

Equipment for further education and training

Services

Consultation & Planning

Production & Installation

Service & Maintenance

HOHENLOHER

International Business

Hohenloher Spezialmöbelwerk Schaffitzel GmbH + Co. KG

Anton-Waldner-Str. 10-16 88239 Wangen im Allgäu · Germany

Tel: +49 (0) 7522/986-504 Fax:+49 (0) 7522/986-526

ib@hohenloher.de